

SPECIFICATIONS

EMERGENCY

HOUSING

- Recessed Mount: Faceplate is extruded aluminum
- Surface Mount: Steel housing with bracket mount locations and knockouts for wiring
- Available finishes include Satin White, Aluminum, and Black

ELECTRICAL

- Dual 120/277V
- Charge rate/power "On" LED light and push-to-test switch for testing

ILLUMINATION

- UV Stabilized polycarbonate lens
- 4700K
- CRI: 70
- 50,000 hours @ L₇₀
- Suitable for mounting heights of 40' or more, 70' on center (standard model)

BATTERY

- Offered ac AC only operation or battery backup
- Battery backup models have Self Diagnostics standard
- Internal transfer switch automatically connects battery to lamp heads for 90-minute emergency illumination
- Two-rate charger initiates battery charge to recharge in battery in 24 hours

MOUNTING

- Available as recessed or surface ceiling mount
- Pendant Kit optional
- End Bracket available for end mounting unit

CODE COMPLIANCE

- cETLus Listed for Damp Locations
- Meets UL924, NFPA101, NEC, OSHA, Local and State Codes
- LED Lamp assembly is IP67 rated
- RoHS Compliant

WARRANTY

- 5 Year



**RHO
LED AC/EM Unit**


ORDERING INFORMATION

CATALOG#	Description
RHO-20L-*-#	20W, 3,189 Lumens, AC Only
RHO-30L-*-#	30W, 4,784 Lumens, AC Only
RHO-40L-*-#	40W, 6,378 Lumens, AC Only
RHO-30L-*-EM-#	30W, 4,800 Lumens, Battery Backup


***Specify Mounting: S-Surface; R-Recessed**
#Specify Finish: WH-White; AL-Aluminum, BK-Black

OPTIONS (Factory Installed)	
WA	- Wide Angle Lens
RTP	- Remote Test Panel (EM model only)
PK12	- 12" Pendant Mount
SWP	- Swivel Kit for Pendant Mount
EBR	- End Bracket (for End Mount Applications)
2AC120	- Dual AC Input (AC Models only) - 120V
2AC277	- Dual AC Input (AC Models only) - 277V
NCL	- Natatorium Finish Paint
CC	- Custom Color


AC Model - Recess




AC Model - Surface




Pendant Mount



EM Model - Recess







EM Model - Surface





RHO-EM Models

Recessed Mount



Surface Endosed Mount



Pendant Mount

